

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 June 2008

(For the Period 1 June 2008 to 14 June 2008)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <http://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have most interested in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <http://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <http://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-51353D(2)	Fuzes, Hand Grenade, Floating Smoke Pot, and Incendiary [CUST: EA]	D	1330		EA	10-JUN-2008
M	MIL-P-20444C(1) NOT 3	Primer, Percussion, M42 Parts for and Loading, Assembling and Packing [CUST: AR] [REVIEW: EA]	A	1375		AR	30-MAY-2008
N	MIL-DTL-32266	Wire Rope, 1.5 Inch Diameter, Galvanized, Compacted Strand, for Aircraft Elevator [CUST: SH GS5]	A	4010		GS5	02-JUN-2008
N	QPL-32266 NOT 1	Wire Rope, 1.5 Inch Diameter, Galvanized, Compacted Strand, for Aircraft Elevator		4010		GS5	02-JUN-2008
M	A-A-52088A	Rope, Cotton, or Cotton/Polyester Blend [CUST: GL MC 99] [REVIEW: 71 AV MD SM]	A	4020	/	IS	04-JUN-2008
M	QPL-24402-35 NOT 1	Filters (Hydraulic), Filter Elements (High Efficiency), and Filter Differential Pressure Indicators (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	4330		SH	09-JUN-2008
M	MIL-DTL-24788A	Coupling Assembly, Semi-Dry-Break, Quick-Disconnect Fuel with or without Continuity Switch [CUST: CR4 SH 99] [REVIEW: 71]	A	4730		SH	22-MAY-2008
N	QPL-24788 NOT 1	Coupling Assembly, Semi-Dry-Break, Quick Disconnect Fuel with or without Continuity Switch	A	4730		SH	22-MAY-2008
M	QPL-52525-14 NOT 1	Fittings, Hose, Reusable, Field-Attachable and Clamp-Halves, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	4730		CC	03-JUN-2008
M	MS51495 NOT 4	Screw, Externally Relieved Body, Fillister Head [CUST: AR 99 IS] [REVIEW: 71 AT AV MI]	A	5305		IS	12-JUN-2008
M	MS51849A NOT 4	Screw, Machine - Steel, Hexagon Head, Slotted, UNF-2A and UNC-2A [CUST: AR 99 IS]	A	5305		IS	12-JUN-2008
M	MS51967D NOT 4	Nut, Plain, Hexagon-Carbon Steel, Cadmium Plated, UNC-2B (In./MM) [CUST: AR 99 IS] [REVIEW: AV CR4 GL MC MI OS SH]	A	5310		IS	12-JUN-2008
M	MS51968C NOT 4	Nut, Plain, Hexagon-Carbon Steel, Cadmium Plated, UNF-2B (In./MM) [CUST: AR 99 IS] [REVIEW: AT AV MC MI OS YD]	A	5310		IS	12-JUN-2008
M	A-A-1957A NOT 4	Fastener, Corrugated, Wood Joint [CUST: AR YD 99 IS] [REVIEW: AS GS SA SH]	A	5315	/	IS	12-JUN-2008
M	A-A-1959 NOT 3	Nail (Casing) [CUST: AR YD 99 IS] [REVIEW: AS CR4 GS MC]	A	5315	/	IS	12-JUN-2008
M	MIL-HDBK-57D	Listing of Fastener Manufacturer's Identification Symbols [CUST: IS]	A	53GP		IS	04-JUN-2008
M	MIL-PRF-94/2E(1)	Resistors, Variable, Composition, Style RV5 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI]	A	5905		CC	09-JUN-2008
M	MIL-PRF-94/3M(1)	Resistors, Variable, Composition, Style RV6 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS]	A	5905		CC	09-JUN-2008
M	MIL-PRF-94/4L(1)	Resistors, Variable, Composition, Style RV2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC	09-JUN-2008
M	MIL-PRF-94/5J(1)	Resistors, Variable, Composition, Style RV4 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 EA MC OS]	A	5905		CC	09-JUN-2008
M	MIL-PRF-94/7C(1)	Resistor, Variable, Nonwire Wound Printed Circuit Broad Mounting, Style RV8 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CG CR4 MC MI OS]	A	5905		CC	09-JUN-2008
M	QPL-32192-1 NOT 1	Resistors, Chip, Thermal (Thermistor), General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5905		CC	05-JUN-2008
M	QPL-49465-16 NOT 1	Resistors, Fixed, Metal Element (Power Type), Very Low Resistance Values, General Specification (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5905		CC	03-JUN-2008
M	QPL-55182-158 NOT 1	Resistors, Fixed, Film, Nonestablished Reliability, Established Reliability, and Space Level, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5905		CR	04-JUN-2008
M	QPL-49467-7 NOT 1	Capacitor, Fixed, Ceramic, Multilayer, High Voltage (General Purpose), General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5910		CR	03-JUN-2008
M	QPL-55514-44 NOT 1	Capacitors, Fixed, Plastic (Or Metallized Plastic) Dielectric, DC or DC-AC, in Nonmetal Cases, Non -Established and Established Reliability, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5910		CR	04-JUN-2008
M	QPL-55629-21 NOT 1	Circuit Breakers, Magnetic, Unsealed or Panel Seal, Trip-Free, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5925		CR	04-JUN-2008
M	MIL-DTL-38999L SUP 1	Connectors, Electrical, Circular, Miniature, High Density, Quick Disconnect (Bayonet, Threaded, and Breech Coupling), Environment Resistant, Removable Crimp and Hermetic Solder Contacts, General Specification for [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	30-MAY-2008
M	MIL-DTL-83538/1D	Connectors and Accessories, Electrical, Circular, Umbilical, Receptacle, Store Assembly, Removable Crimp Contacts, Sockets, for MIL-STD-1760 Applications (Metric) [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	02-JUN-2008
M	MIL-DTL-83538/7B	Connectors and Accessories, Electrical, Circular, Umbilical, Cover, Protective, Store Receptacle for MIL-STD-1760 Applications (Metric) [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	02-JUN-2008
M	MIL-DTL-83538/8C	Connectors and Accessories, Electrical, Circular, Umbilical, Cover, Protective, Launcher Receptacle, for MIL-STD-1760 Application (Metric) [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	02-JUN-2008
M	MIL-DTL-83538/9B	Connectors and Accessories, Electrical, Circular, Umbilical, Adapter, Accessory, Launcher Receptacle for MIL-STD-1760 Applications (Metric) [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	02-JUN-2008
M	MIL-DTL-83538/10B	Connectors and Accessories, Electrical, Circular, Umbilical, Bushing, Cable, Launcher Receptacle for MIL-STD-1760 Applications (Metric) [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	02-JUN-2008
M	MIL-DTL-83538/13A	Connectors and Accessories, Electrical, Circular, Umbilical, Test Plug, Removable Crimp Contacts, Pins, for MIL-STD-1760 Applications (Metric) [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	02-JUN-2008
M	QPL-32139-2 NOT 1	Connectors, Electrical, Rectangular, Nanominiature, Polarized Shell, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5935		CC	03-JUN-2008
M	QPL-83513-54 NOT 1	Connectors, Electrical, Rectangular, Microminiature, Polarized Shell, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5935		CC	05-JUN-2008
M	MIL-PRF-55310/21F	Oscillator, Crystal Controlled, Type 1 (Crystal Oscillator (XO)), 1.0 MHZ Through 60.0 MHZ, Hermetic Seal, Square Wave, TTL [CUST: 99 CC] [REVIEW: 19 84]	A	5955		CC	09-JUN-2008
M	MIL-PRF-55310/27C	Oscillator, Crystal Controlled, Type 1 (Crystal Oscillator (XO)), 1.0 MHZ through 85 MHZ, Hermetic Seal, Square Wave, High Speed CMOS [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS CG MC MI NA SM]	A	5955		CR	09-JUN-2008
M	MIL-PRF-55310/30C	Oscillator, Crystal Controlled, Type 1 (Crystal Oscillator (XO)), 450 KHZ through 100 MHZ, Hermetic Seal, Low Voltage CMOS [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS CG MC MI NA SM]	A	5955		CR	09-JUN-2008

ASSIST UPDATE

15-JUN-2008

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	AN6235 REV 5	Filter Element - Hydraulic, Replaceable Micronic Line Type [CUST: AV AS 99] [REVIEW: 71 CC GS MC MI SA SH]	A	1650		AS	02-JUN-2008
M	MIL-DTL-87255A	Valves, Pressure, Anti-G Suit, High Flow [CUST: 11]	A	1660		11	06-JUN-2008
M	MIL-S-8710B NOT 3	Strainer, Airframe Fuel System, General Specification for [CUST: AV AS 71] [REVIEW: GS]	A	2915		71	09-JUN-2008
M	MIL-S-25980A NOT 3	Switch, Float, Aircraft Fuel Level, General Specification For [CUST: 71] [REVIEW: GS]	A	2915		71	09-JUN-2008
M	MS29593A NOT 3	Valve - Oil Cooler Temperature Regulating with Surge Protection [CUST: 71] [REVIEW: 99 GS]	A	2935		71	09-JUN-2008
M	MIL-C-7942B(1) NOT 3	Connectors, Hose, Quick-Disconnect, Anti "G" Suit [CUST: AS 71] [REVIEW: CC]	A	4730		71	09-JUN-2008
M	MIL-DTL-25531E NOT 2	Coupling Half, Quick Disconnect, Pneumatic Starter, External, Low Pressure [CUST: AS 71]	A	4730		71	09-JUN-2008
M	MIL-J-26870C NOT 4	Joint, Swivel, Aircraft Fuel [CUST: AV AS 71] [REVIEW: CC CR4]	A	4730		71	09-JUN-2008
M	MIL-C-83390(2) NOT 2	Connector, Hose, Quick Acting, Male, Anti-G Garment [CUST: 71] [REVIEW: 99]	A	4730		71	09-JUN-2008
M	MS29515B NOT 3	Adapter, Pressure Fuel Servicing, Types A-1 and A-6 [CUST: 71] [REVIEW: 99]	A	4730		71	09-JUN-2008
M	MS51825H(1)	Sleeves, Clinches, Tube Fitting, Flareless Type, Hydraulic [CUST: AR SH 99 CC] [REVIEW: AS AT AV GL MC MI SA]	A	4730		CC	05-JUN-2008
M	AN6225 REV 8	Packing - "V" Ring Hydraulic [CUST: AS 99] [REVIEW: 71 SA SH]	A	5330		IS	30-MAY-2008
M	MIL-PRF-1/1624B NOT 2	Electron Tube, Magnetron Type 8682 [CUST: CC]	A	5960		CC	12-JUN-2008
M	MIL-M-38510/320D(1)	Microcircuits, Digital, Bipolar Low-Power Schottky TTL. Counters, Cascadable, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	04-JUN-2008
M	MIL-F-3922/58C(1) NOT 2	Flange, Waveguide (Contact) (Rectangular, 10 Hole) [CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV CG MC MI OS SH]	A	5985		CC	02-JUN-2008
M	MIL-F-3922/69(1) NOT 2	Flange, Waveguide (Choke) (Square, 4 Hole) [CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV CR4 MC MI OS SH]	A	5985		CC	02-JUN-2008
M	MIL-A-22641/17A NOT 4	Adapter, Coaxial to Waveguide (Class 3 - 7/8 Inch) Types UG-405/U, UG-522/U, UG-1622/U and UG-1663/U [CUST: CR EC 11 CC] [REVIEW: 99 AS AV MC MI]	A	5985		CC	04-JUN-2008
M	MIL-A-22641/18 NOT 4	Adapter, Coaxial to Waveguide (Class 2 - 5/8 Inch), Types UG-403/U, UG-404/U, UG-445/U, UG-520/U, UG-521/U, UG-523/U, UG-1647/U Thru UG-1652/U [CUST: CR EC 11 CC] [REVIEW: 99 AS AV MC MI]	A	5985		CC	04-JUN-2008
M	MIL-A-22641/19 NOT 3	Adapter, Coaxial to Waveguide (TNC to Waveguide - Class 4) [CUST: CR EC 11 CC] [REVIEW: 99 AS MC MI OS]	A	5985		CC	04-JUN-2008
M	MIL-A-22641/22 NOT 3	Adapter, Coaxial to Waveguide (Double Ridge) (Bandwidth Ratio 2.4 1) (Series SMA to Waveguide - Class 5) [CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV MC MI OS]	A	5985		CC	04-JUN-2008
M	MIL-DTL-5790H	Transmitter, Pressure, Oil, Synchro, 0-200 PSI 320-Degree Movement, 26V, Single Phase, 400 Cycles [CUST: 99 GS1] [REVIEW: 71]	A	6620		GS1	09-JUN-2008

CANCELED SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	T-R-571E NOT 1	Rope, Cotton, or Cotton and Polyester (S/S by A-A-52088) [CUST: GL MC 99] [REVIEW: 71 AV CR4 MD SM]	A	4020	/	IS	04-JUN-2008
M	MS18158C NOT 3	Insert (Insulator), Rectangular Connector, Polarized Center Screwlock, Electrical, 20 (Size 16 Crimp Removable) Socket Contacts (S/S by MIL-DTL-28748/10) [CUST: CR EC 11 CC] [REVIEW: 99 AM AR AS AT CR4 MC MI OS SH]	A	5935		CC	25-APR-2008
M	EIA584	Zero Acceptance Number Sampling Procedures and Tables for Inspection by Attributes for a Continuous Manufacturing Process (No S/S Document) [CUST: CR EC 85 CC]	A	59GP		CC	04-JUN-2008
M	EIA585	Zero Acceptance Number Sampling Procedures and Tables for Inspection by Attributes of Isolated Lots (No S/S Document) [CUST: CR EC 85 CC]	A	59GP		CC	04-JUN-2008
M	EIA738	Guideline on the Use and Application of CPK (No S/S Document) [CUST: CR EC 85 CC]	A	59GP		CC	04-JUN-2008